


# Catalyst Elements



# ***Metalcor***<sup>TM</sup>


*Stationary Engines Process Industries Off-Highway On-Highway*

# Metalcor™

Metallic Catalyst Elements for Superior Emissions Performance


For over 20 years, DCL has provided superior quality and innovative emission solutions to various industries. DCL's Metalcor™ thin-walled metallic catalyst elements provide advanced emission control solutions in a broad variety of designs and configurations.

## If you are a plant operator...



A stationary engine or process industry source out of emission compliance can mean plant closure and fines. As such, DCL offers fast deliveries for a variety of sizes and configurations of catalyst elements, including direct replacement parts for most other manufacturers. Most parts are in stock and can be shipped right away.

## If you are a catalyst packaging or canning company...



DCL's advanced, high-volume and flexible manufacturing facility provides customized, yet economical solutions for the most demanding standards of design, performance and quality control. Our expert application engineering support helps you through the process of selecting the right configuration and PGM loading to ensure you get the best solution for your application.

DCL experience and expertise extends to a variety of fuels and applications, including:




- Heavy-duty off-highway engines
- Light-duty on-highway and off-highway engines
- Stationary engines
- Process industry emission
- Turbine emission
- Boiler emission

Metalcor™ catalyst elements are effective in control of volatile organic compounds (VOCs) in incineration, soil remediation, food processing and many other process industries.

## General Specifications

- Thin-walled metal cell structures available from 50 to 500 cells per square inch, optimized for emissions performance and pressure drop
- Support structure durable to temperatures in excess of 1100 °C
- Catalyst coatings available in lean-burn oxidation, diesel oxidation and three-way catalyst formulations, in a variety of PGM loadings
- Non-brazed design for light duty and stationary applications (patent pending)
- Brazed design for heavy duty applications that undergo high thermal and mechanical stress



The thin-wall metal honeycomb structure provides high surface area with minimal pressure drop (patent pending).

## Catalyst Formulation Options

### Three-Way Catalysts

Rich-Burn



Three-way catalysts are used in rich-burn or stoichiometric engines for simultaneous conversion of oxides of nitrogen (NO<sub>x</sub>), carbon monoxide (CO), hydrocarbons (HC), formaldehyde (CH<sub>2</sub>O) and other EPA classified Hazardous Air Pollutants (HAPs). A closed loop air-fuel ratio controller is required for the three-way catalyst to work effectively.

### Oxidation Catalysts

Lean-Burn and Process Industries



Oxidation catalysts are effective for the control of carbon monoxide (CO), non-methane hydrocarbons (NMHC), volatile organic compounds (VOC), formaldehyde (CH<sub>2</sub>O) and other EPA classified Hazardous Air Pollutants (HAPs).

### Diesel Oxidation Catalysts

Diesel



Diesel oxidation catalysts (DOCs) are effective for the control of carbon monoxide (CO), hydrocarbons (HC), odor causing compounds, and the soluble organic fraction (SOF) of particulate matter (PM<sub>10</sub>).

# DCL International Inc. – Preserving and Improving the Quality of the Air We Breathe

DCL International Inc. is a global leader in the engineering, manufacturing and supporting of advanced emissions control technology for stationary and mobile industrial engines. Our products include oxidation and three-way catalytic converters, catalytic mufflers, diesel particulate filters, stock mufflers and VOC abatement catalysts. Established in 1986, DCL provides innovative solutions for controlling engine exhaust emissions to the mining, tunnelling, construction, material handling equipment, power generation, co-generation, and gas compression markets.

To meet the specialized needs of the emission control market, we adopt an integrated approach, bringing together product development, design, manufacturing and testing all under one roof. This single-source capability enables us to provide better engineered emissions solutions that deliver outstanding performance, longer life and lower cost of ownership. Our superior product quality has made DCL the choice of customers around the world.



■ Manufacturing Facilities

■ Representatives



DCL International Inc.  
Corporate Headquarters  
P.O. Box 90  
Concord, Ontario  
L4K 1B2, Canada  
**1-800-872-1968**

Phone: (905) 660-6450  
Fax: (905) 660-6435  
e-mail: [info@dcl-inc.com](mailto:info@dcl-inc.com)  
web: [www.dcl-inc.com](http://www.dcl-inc.com)

**ISO 9001:2000 Registered**